



Prepared By
 Marisol Riba
 MACOPA
 Gerente Area Tecnica y Arquitectura
 Medley, FL 33166
 - Ext
 mriba@macopa.com

Project Information
 Project Zip Code: 33166
Report Date: 5/21/2016 12:33:53 PM



National Gypsum Sustainable Materials Data Sheet

Materials and Resources - Recycled Content

Product Name	Manufacturing Location	Post Consumer	Pre Consumer	Materials Cost
1/2" Gold Bond eXP Interior Extreme Gypsum Panel	Waukegan, IL	0%	53%	
5/8" Gold Bond eXP Interior Extreme Gypsum Panel	Mount Holly, NC	0%	95%	
5/8" Gold Bond eXP Interior Extreme AR Gypsum Panel	Waukegan, IL	0%	53%	
5/8" Gold Bond eXP Interior Extreme IR Gypsum Panel	Savannah, GA	0%	0%	
1/2" Gold Bond eXP Tile Backer	Savannah, GA	0%	0%	
5/8" Gold Bond eXP Tile Backer	Savannah, GA	0%	0%	
1/2" Gold Bond XP Gypsum Board	Gibsonton, FL	5%	95%	
5/8" Gold Bond XP Fire-Shield Gypsum Board	Gibsonton, FL	5%	95%	
1" Gold Bond Fire-Shield Shaftliner XP	Gibsonton, FL	0%	95%	
5/8" Gold Bond Hi-Abuse XP Gypsum Board	Gibsonton, FL	5%	95%	
5/8" Gold Bond Hi-Impact XP Gypsum Board	Savannah, GA	5%	0%	
1/2" Gold Bond SoundBreak XP Gypsum Board	Savannah, GA	5%	0%	
5/8" Gold Bond SoundBreak XP Gypsum Board	Savannah, GA	5%	0%	
1/2" Gold Bond Fire-Shield C Gypsum Board	Gibsonton, FL	5%	95%	
5/8" Gold Bond Fire-Shield Gypsum Board	Gibsonton, FL	5%	95%	
1" Gold Bond Fire-Shield Shaftliner	Gibsonton, FL	0%	95%	
1/4" Gold Bond Gypsum High Flex Board	Savannah, GA	5%	0%	
1/2" Gold Bond eXP Sheathing	Gibsonton, FL	0%	95%	
5/8" Gold Bond eXP Sheathing	Gibsonton, FL	0%	95%	
1/2" Gold Bond Exterior Soffit Board	Gibsonton, FL	5%	95%	
1/4", 1/2", 5/8", PermaBase	Green Cove Springs, FL	0%	35%	
1/2" PermaBase Flex	Cleburne, TX	0%	35%	
All Purpose, Lite, Multi Use Joint Compound	Orlando, FL	0%	0%	
Paper Tape, Mesh Tape	Rensselaer, IN	0%	0%	

Gold Bond Gypsum Board

Gypsum board face and back paper is made of 100% post-consumer recycled content.
 Gypsum board recycled content varies by manufacturing location.
 The gypsum and paper facings meet the definition of recycled content per ISO 14021.

ProForm Drywall Finishing Products do not have recycled content; however, they may contribute in other categories covered in this report.

Corporate Headquarters

National Gypsum Company
 2001 Rexford Road
 Charlotte, NC 28211
 Phone: (704) 365-7300
 Web: nationalgypsum.com
nationalgypsum.com/espanol

Technical Information

Phone: (800) NATIONAL
 (800) 628-4662
 (800) FAX-NGC1
 Fax: (800) 329-6421





Prepared By
Marisol Riba
MACOPA
Gerente Area Tecnica y Arquitectura
Medley, FL 33166
- Ext
mriba@macopa.com

Project Information
Project Zip Code: 33166
Report Date: 5/21/2016 12:33:53 PM



National Gypsum Sustainable Materials Data Sheet

Materials and Resources - Recycled Content

Report results are based on current National Gypsum distribution plan and manufacturing location capabilities. Gold Bond Gypsum Board products with higher recycled content may be available for projects in Northeastern and Mid Atlantic states. Please contact your local National Gypsum Sales Representative or call 1-800-NATIONAL for assistance. National Gypsum reserves the right to determine the plant from which products will be shipped.

Corporate Headquarters
National Gypsum Company
2001 Rexford Road
Charlotte, NC 28211
Phone: (704) 365-7300
Web: nationalgypsum.com
nationalgypsum.com/espanol

Technical Information
Phone: (800) NATIONAL
(800) 628-4662
(800) FAX-NGC1
Fax: (800) 329-6421





Prepared By
 Marisol Riba
 MACOPA
 Gerente Area Tecnica y Arquitectura
 Medley, FL 33166
 - Ext
 mriba@macopa.com

Project Information
 Project Zip Code: 33166
 Report Date: 5/21/2016 12:33:53 PM



National Gypsum Sustainable Materials Data Sheet

Materials and Resources - Regional Materials - LEED 2009 MRc5 Option 1

Product Name	Manufacturing Location		Extraction Point Location		%	Materials Cost
	City, State	Distance	City, State	Distance		
1/2" Gold Bond eXP Interior Extreme Gypsum Panel	Waukegan, IL	> 500 mi.	Tawas, MI	> 500 mi.	42%	
			Pleasant Prairie, WI	> 500 mi.	43%	
			Oak Creek, WI	> 500 mi.	10%	
5/8" Gold Bond eXP Interior Extreme Gypsum Panel	Mount Holly, NC	> 500 mi.	Belmont, NC	> 500 mi.	19%	
			Terrell, NC	> 500 mi.	38%	
			Belews Creek, NC	> 500 mi.	38%	
5/8" Gold Bond eXP Interior Extreme AR Gypsum Panel	Waukegan, IL	> 500 mi.	Tawas, MI	> 500 mi.	42%	
			Pleasant Prairie, WI	> 500 mi.	43%	
			Oak Creek, WI	> 500 mi.	10%	
5/8" Gold Bond eXP Interior Extreme IR Gypsum Panel	Savannah, GA	437 mi.	East Milford, NS	> 500 mi.	95%	
1/2" Gold Bond eXP Tile Backer	Savannah, GA	437 mi.	East Milford, NS	> 500 mi.	95%	
5/8" Gold Bond eXP Tile Backer	Savannah, GA	437 mi.	East Milford, NS	> 500 mi.	95%	
1/2" Gold Bond XP Gypsum Board	Gibsonton, FL	187 mi.	Gibsonton, FL	187 mi.	95%	
5/8" Gold Bond XP Fire-Shield Gypsum Board	Gibsonton, FL	187 mi.	Gibsonton, FL	187 mi.	95%	
1" Gold Bond Fire-Shield Shaftliner XP	Gibsonton, FL	187 mi.	Gibsonton, FL	187 mi.	95%	
5/8" Gold Bond Hi-Abuse XP Gypsum Board	Gibsonton, FL	187 mi.	Gibsonton, FL	187 mi.	95%	
5/8" Gold Bond Hi-Impact XP Gypsum Board	Savannah, GA	437 mi.	East Milford, NS	> 500 mi.	95%	
1/2" Gold Bond SoundBreak XP Gypsum Board	Savannah, GA	437 mi.	East Milford, NS	> 500 mi.	95%	
5/8" Gold Bond SoundBreak XP Gypsum Board	Savannah, GA	437 mi.	East Milford, NS	> 500 mi.	95%	
1/2" Gold Bond Fire-Shield C Gypsum Board	Gibsonton, FL	187 mi.	Gibsonton, FL	187 mi.	95%	
5/8" Gold Bond Fire-Shield Gypsum Board	Gibsonton, FL	187 mi.	Gibsonton, FL	187 mi.	95%	
1" Gold Bond Fire-Shield Shaftliner	Gibsonton, FL	187 mi.	Gibsonton, FL	187 mi.	95%	
1/4" Gold Bond Gypsum High Flex Board	Savannah, GA	437 mi.	East Milford, NS	> 500 mi.	95%	

Corporate Headquarters
 National Gypsum Company
 2001 Rexford Road
 Charlotte, NC 28211
 Phone: (704) 365-7300
 Web: nationalgypsum.com
 nationalgypsum.com/espanol

Technical Information
 Phone: (800) NATIONAL
 (800) 628-4662
 (800) FAX-NGC1
 Fax: (800) 329-6421





Prepared By
 Marisol Riba
 MACOPA
 Gerente Area Tecnica y Arquitectura
 Medley, FL 33166
 - Ext
 mriba@macopa.com

Project Information
 Project Zip Code: 33166
Report Date: 5/21/2016 12:33:53 PM



National Gypsum Sustainable Materials Data Sheet

Materials and Resources - Regional Materials - LEED 2009 MRc5 Option 1

Product Name	Manufacturing Location		Extraction Point Location		%	Materials Cost
	City, State	Distance	City, State	Distance		
1/2" Gold Bond eXP Sheathing	Gibson, FL	187 mi.	Gibson, FL	187 mi.	95%	
5/8" Gold Bond eXP Sheathing	Gibson, FL	187 mi.	Gibson, FL	187 mi.	95%	
1/2" Gold Bond Exterior Soffit Board	Gibson, FL	187 mi.	Gibson, FL	187 mi.	95%	
1/4", 1/2", 5/8", PermaBase	Green Cove Springs, FL	299 mi.	Juliette, GA	> 500 mi.	35%	
1/2" PermaBase Flex	Cleburne, TX	> 500 mi.	Jewett, TX	> 500 mi.	20%	
Paper Tape, Mesh Tape	Rensselaer, IN	> 500 mi.	NA, NA	> 500 mi.	100%	

Manufacturing plant and extraction locations are provided to assist the report preparer in determining the contribution to Regional Materials credits. Mileage calculations reflect the distances from both manufacturing and extraction locations to the project address provided by the report preparer. The National Gypsum Green Product Score (GPS) tool accesses Google Maps to determine these calculations.

Mileage reflects the great circle distance between the project address and the manufacturing and extraction locations. If mileage is not shown, it is not known or unavailable due to multiple supplier locations.

For purposes of calculating credits for products that qualify for Regional Materials, gypsum board is comprised of 95% gypsum. Paper and additional materials come from multiple locations.

USGBC CIR – USGBC has determined that in place of actual miles in the submittal template, a letter of verification from the manufacturer will satisfy all applicable and current rating systems regarding the achievement of MRc5. The GPS report which can be generated from this site serves as the National Gypsum letter of verification.

Corporate Headquarters
 National Gypsum Company
 2001 Rexford Road
 Charlotte, NC 28211
 Phone: (704) 365-7300
 Web: nationalgypsum.com
nationalgypsum.com/espanol

Technical Information
 Phone: (800) NATIONAL
 (800) 628-4662
 (800) FAX-NGC1
 Fax: (800) 329-6421






National Gypsum Sustainable Materials Data Sheet

Materials and Resources - Regional Materials Map

The Map illustrates distances shown on the previous table with the project address at the center of the 500 mile radius.



Corporate Headquarters
 National Gypsum Company
 2001 Rexford Road
 Charlotte, NC 28211
 Phone: (704) 365-7300
 Web: nationalgypsum.com
nationalgypsum.com/espanol

Technical Information
 Phone: (800) NATIONAL
 (800) 628-4662
 (800) FAX-NGC1
 Fax: (800) 329-6421





Prepared By
 Marisol Riba
 MACOPA
 Gerente Area Tecnica y Arquitectura
 Medley, FL 33166
 - Ext
 mriba@macopa.com

Project Information
 Project Zip Code: 33166
Report Date: 5/21/2016 12:33:53 PM



National Gypsum Sustainable Materials Data Sheet

Materials and Resources - Regional Materials - LEED 2009 MRc5 Option 2

Product Name	Jobsite Distance	Manufacturing Location	Extraction Location	Manufacturing Distance*	%	Credit	Materials Cost
1/2" Gold Bond eXP Interior Extreme Gypsum Panel	1219 mi.	Waukegan, IL	Tawas, MI	230 mi.	42%	No	
	1219 mi.		Pleasant Prairie, WI	16 mi.	43%	No	
	1219 mi.		Oak Creek, WI	42 mi.	10%	No	
5/8" Gold Bond eXP Interior Extreme Gypsum Panel	657 mi.	Mount Holly, NC	Belmont, NC	5 mi.	19%	No	
	657 mi.		Terrell, NC	28 mi.	38%	No	
	657 mi.		Belews Creek, NC	108 mi.	38%	No	
5/8" Gold Bond eXP Interior Extreme AR Gypsum Panel	1219 mi.	Waukegan, IL	Tawas, MI	230 mi.	42%	No	
	1219 mi.		Pleasant Prairie, WI	16 mi.	43%	No	
	1219 mi.		Oak Creek, WI	42 mi.	10%	No	
5/8" Gold Bond eXP Interior Extreme IR Gypsum Panel	437 mi.	Savannah, GA	East Milford, NS	100 mi.	95%	No	
1/2" Gold Bond eXP Tile Backer	437 mi.	Savannah, GA	East Milford, NS	100 mi.	95%	No	
5/8" Gold Bond eXP Tile Backer	437 mi.	Savannah, GA	East Milford, NS	100 mi.	95%	No	
1/2" Gold Bond XP Gypsum Board	187 mi.	Gibsonton, FL	Gibsonton, FL	3 mi.	95%	Yes	
5/8" Gold Bond XP Fire-Shield Gypsum Board	187 mi.	Gibsonton, FL	Gibsonton, FL	3 mi.	95%	Yes	
1" Gold Bond Fire-Shield Shaftliner XP	187 mi.	Gibsonton, FL	Gibsonton, FL	3 mi.	95%	Yes	
5/8" Gold Bond Hi-Abuse XP Gypsum Board	187 mi.	Gibsonton, FL	Gibsonton, FL	3 mi.	95%	Yes	
5/8" Gold Bond Hi-Impact XP Gypsum Board	437 mi.	Savannah, GA	East Milford, NS	100 mi.	95%	No	
1/2" Gold Bond SoundBreak XP Gypsum Board	437 mi.	Savannah, GA	East Milford, NS	100 mi.	95%	No	

Corporate Headquarters
 National Gypsum Company
 2001 Rexford Road
 Charlotte, NC 28211
 Phone: (704) 365-7300
 Web: nationalgypsum.com
 nationalgypsum.com/espanol

Technical Information
 Phone: (800) NATIONAL
 (800) 628-4662
 (800) FAX-NGC1
 Fax: (800) 329-6421





Prepared By
 Marisol Riba
 MACOPA
 Gerente Area Tecnica y Arquitectura
 Medley, FL 33166
 - Ext
 mriba@macopa.com

Project Information
 Project Zip Code: 33166
 Report Date: 5/21/2016 12:33:53 PM



National Gypsum Sustainable Materials Data Sheet

Materials and Resources - Regional Materials - LEED 2009 MRc5 Option 2

Product Name	Jobsite Distance	Manufacturing Location	Extraction Location	Manufacturing Distance*	%	Credit	Materials Cost
5/8" Gold Bond SoundBreak XP Gypsum Board	437 mi.	Savannah, GA	East Milford, NS	100 mi.	95%	No	
1/2" Gold Bond Fire-Shield C Gypsum Board	187 mi.	Gibsonton, FL	Gibsonton, FL	3 mi.	95%	Yes	
5/8" Gold Bond Fire-Shield Gypsum Board	187 mi.	Gibsonton, FL	Gibsonton, FL	3 mi.	95%	Yes	
1" Gold Bond Fire-Shield Shaftliner	187 mi.	Gibsonton, FL	Gibsonton, FL	3 mi.	95%	Yes	
1/4" Gold Bond Gypsum High Flex Board	437 mi.	Savannah, GA	East Milford, NS	100 mi.	95%	No	
1/2" Gold Bond eXP Sheathing	187 mi.	Gibsonton, FL	Gibsonton, FL	3 mi.	95%	Yes	
5/8" Gold Bond eXP Sheathing	187 mi.	Gibsonton, FL	Gibsonton, FL	3 mi.	95%	Yes	
1/2" Gold Bond Exterior Soffit Board	187 mi.	Gibsonton, FL	Gibsonton, FL	3 mi.	95%	Yes	
1/4", 1/2", 5/8", PermaBase	299 mi.	Green Cove Springs, FL	Juliette, GA	308 mi.	35%	No	
1/2" PermaBase Flex	1125 mi.	Cleburne, TX	Jewett, TX	134 mi.	20%	No	
Paper Tape, Mesh Tape	1115 mi.	Rensselaer, IN	NA, NA	> 500 mi.	100%	No	

Corporate Headquarters
 National Gypsum Company
 2001 Rexford Road
 Charlotte, NC 28211
 Phone: (704) 365-7300
 Web: nationalgypsum.com
nationalgypsum.com/espanol

Technical Information
 Phone: (800) NATIONAL
 (800) 628-4662
 (800) FAX-NGC1
 Fax: (800) 329-6421





Prepared By
Marisol Riba
MACOPA
Gerente Area Tecnica y Arquitectura
Medley, FL 33166
- Ext
mriba@macopa.com

Project Information
Project Zip Code: 33166
Report Date: 5/21/2016 12:33:53 PM



National Gypsum Sustainable Materials Data Sheet

Materials and Resources - Regional Materials - LEED 2009 MRc5 Option 2

Manufacturing plant and extraction locations are provided to assist the report preparer in determining the contribution to Regional Materials credits.

Mileage calculations from the manufacturing location to the project address provided by the report preparer are calculated using standard ground transportation . The National Gypsum Green Product Score (GPS) tool accesses Google Maps to determine these calculations.

Extraction point mileage reflects distance calculated by the LEED 2009 credit formula* between the manufacturing and extraction locations. If mileage is not shown, it is not known or unavailable due to multiple supplier locations.

For purposes of calculating credits for products that qualify for Regional Materials, gypsum board is comprised of 95% gypsum. Paper and additional materials come from multiple locations.

USGBC CIR – USGBC has determined that in place of actual miles in the submittal template, a letter of verification from the manufacturer will satisfy all applicable and current rating systems regarding the achievement of MRc5. The GPS report which can be generated from this site serves as the National Gypsum letter of verification.

* $(\text{Distance by rail}/3) + (\text{Distance by inland waterway}/2) + (\text{Distance by sea}/15) + (\text{Distance by all other means}) < 500$ miles [800 kilometers]

Corporate Headquarters

National Gypsum Company
2001 Rexford Road
Charlotte, NC 28211
Phone: (704) 365-7300
Web: nationalgypsum.com
nationalgypsum.com/espanol

Technical Information

Phone: (800) NATIONAL
(800) 628-4662
(800) FAX-NGC1
Fax: (800) 329-6421





Prepared By
 Marisol Riba
 MACOPA
 Gerente Area Tecnica y Arquitectura
 Medley, FL 33166
 - Ext
 mriba@macopa.com

Project Information
 Project Zip Code: 33166
 Report Date: 5/21/2016 12:33:53 PM



National Gypsum Sustainable Materials Data Sheet

Materials and Resources - Product Certifications

Product Name	GREENGUARD			CHPS	Mold Resistance	Material Cost
	GREENGUARD	Gold				
1/2" Gold Bond eXP Interior Extreme Gypsum Panel	Yes	Yes		Yes	ASTM D 3273 - 10	
5/8" Gold Bond eXP Interior Extreme Gypsum Panel	Yes	Yes		Yes	ASTM D 3273 - 10	
5/8" Gold Bond eXP Interior Extreme AR Gypsum Panel	Yes	Yes		Yes	ASTM D 3273 - 10	
5/8" Gold Bond eXP Interior Extreme IR Gypsum Panel	Yes	Yes		Yes	ASTM D 3273 - 10	
1/2" Gold Bond eXP Tile Backer	Yes	Yes		Yes	ASTM D 3273 - 10	
5/8" Gold Bond eXP Tile Backer	Yes	Yes		Yes	ASTM D 3273 - 10	
1/2" Gold Bond XP Gypsum Board	Yes	Yes		Yes	ASTM D 3273 - 10 G21 - 0	
5/8" Gold Bond XP Fire-Shield Gypsum Board	Yes	Yes		Yes	ASTM D 3273 - 10 G21 - 0	
1" Gold Bond Fire-Shield Shaftliner XP	Yes	Yes		Yes	ASTM D 3273 - 10 G21 - 0	
5/8" Gold Bond Hi-Abuse XP Gypsum Board	Yes	Yes		Yes	ASTM D 3273 - 10 G21 - 0	
5/8" Gold Bond Hi-Impact XP Gypsum Board	Yes	Yes		Yes	ASTM D 3273 - 10 G21 - 0	
1/2" Gold Bond SoundBreak XP Gypsum Board	Yes	Yes		Yes	ASTM D 3273 - 10 G21 - 0	
5/8" Gold Bond SoundBreak XP Gypsum Board	Yes	Yes		Yes	ASTM D 3273 - 10 G21 - 0	
1/2" Gold Bond Fire-Shield C Gypsum Board	Yes	Yes		Yes		
5/8" Gold Bond Fire-Shield Gypsum Board	Yes	Yes		Yes		
1" Gold Bond Fire-Shield Shaftliner	Yes	Yes		Yes		
1/4" Gold Bond Gypsum High Flex Board	No	No		No		
1/2" Gold Bond eXP Sheathing	No	No		No	ASTM D 3273 - 10	
5/8" Gold Bond eXP Sheathing	No	No		No	ASTM D 3273 - 10	
1/2" Gold Bond Exterior Soffit Board	No	No		No		
1/4", 1/2", 5/8", PermaBase	Yes	Yes		Yes	ASTM D 3273 - 10 G21 - 0	

Corporate Headquarters
 National Gypsum Company
 2001 Rexford Road
 Charlotte, NC 28211
 Phone: (704) 365-7300
 Web: nationalgypsum.com
 nationalgypsum.com/espanol

Technical Information
 Phone: (800) NATIONAL
 (800) 628-4662
 (800) FAX-NGC1
 Fax: (800) 329-6421





Prepared By
 Marisol Riba
 MACOPA
 Gerente Area Tecnica y Arquitectura
 Medley, FL 33166
 - Ext
 mriba@macopa.com

Project Information
 Project Zip Code: 33166
 Report Date: 5/21/2016 12:33:53 PM



National Gypsum Sustainable Materials Data Sheet

Materials and Resources - Product Certifications

Product Name	GREENGUARD			Mold Resistance	Material Cost
	GREENGUARD	Gold	CHPS		
1/2" PermaBase Flex	Yes	Yes	Yes	ASTM D 3273 - 10 G21 - 0	
All Purpose, Lite, Multi Use Joint Compound	Yes	No	No		
Paper Tape, Mesh Tape	No	No	No		

Third party certifications may contribute to additional credits such as Indoor Air Quality and Innovation & Design. All ProForm Brand joint treatment ready-mixed products contain <2g/L of VOC content.



Corporate Headquarters
 National Gypsum Company
 2001 Rexford Road
 Charlotte, NC 28211
 Phone: (704) 365-7300
 Web: nationalgypsum.com
nationalgypsum.com/espanol

Technical Information
 Phone: (800) NATIONAL
 (800) 628-4662
 (800) FAX-NGC1
 Fax: (800) 329-6421





Prepared By
 Marisol Riba
 MACOPA
 Gerente Area Tecnica y Arquitectura
 Medley, FL 33166
 - Ext
 mriba@macopa.com

Project Information
 Project Zip Code: 33166
Report Date: 5/21/2016 12:33:53 PM



National Gypsum Sustainable Materials Data Sheet

General Notes

The product information provided by National Gypsum to generate each report relates only to products and product content that National Gypsum would ship after it receives and accepts an order. It is the responsibility of the gypsum distributor and drywall contractor working on a particular project to fulfill applicable credits requirements for that project. While National Gypsum will fulfill orders from its customers for products that may be intended by the customer to be placed on a particular job or project, National Gypsum cannot control which of its products are actually placed on the jobsite after shipment.

The GPS report is generated based on the product and project information provided by the report preparer and is accurate at the time the report is generated. National Gypsum reserves the right to change its product content or specifications at any time, without notice. To assure the most accurate sustainable materials data, a report should be generated at the time the product order is finally placed, just prior to product shipment.

Total Material Cost is provided by the report preparer and does not reflect a unit cost for materials.

For additional information, please contact your National Gypsum sales representative.
 For technical product information, please contact 1-800-NATIONAL.

Trademarks

The product names referenced in the Green Product Score report are trademarks and brands owned by National Gypsum Properties, LLC:

Durasan®
 e2XP®
 e2XP® Interior Extreme™
 Dust-Tech™
 Fire-Shield®
 Fire-Shield C™
 Gold Bond®
 Green Product Score™
 Gridstone®

High Flex®
 Hi-Abuse® XP®
 Hi-Impact® XP™
 Kal-Kore®
 Kal-Kote®
 National Gypsum®
 PermaBase®
 PermaBase Flex®
 PermaBase® UltraBacker™

ProForm®
 Shaftliner®
 Shaftliner XP®
 SoundBreak® XP®
 ThermalCORE™
 Quick Set™
 XP®
 1-800-NATIONAL®

Corporate Headquarters
 National Gypsum Company
 2001 Rexford Road
 Charlotte, NC 28211
 Phone: (704) 365-7300
 Web: nationalgypsum.com
 nationalgypsum.com/espanol

Technical Information
 Phone: (800) NATIONAL
 (800) 628-4662
 (800) FAX-NGC1
 Fax: (800) 329-6421

